

Rack Mount Industrial Display Monitor



Rack-mount industrial monitor's range.
Perfect for industrial monitoring applications this display offers a high-quality grade.
The front OSD buttons allow to adjust the image easily.
Suitable for 19 inch rack servers.

Description


- Compact 19 inch, rack mountable
- High resolution
- DVI-D, VGA, Audio Input – HDMI optional
- Heavy duty steel chassis with hardness glass protect screen
- Build in 2x2 watts stereo speakers
- Front OSD control buttons to optimize the image

Technical specifications :


Screen size	15"	17"	17,3 " (WIDE) Option 4K	19"	21,5"	23,8"
Reference	RACK7U-15	RACK8U-17	RACK6U-17W	RACK8U-19	RACK8U-21	RACK8U-24
Backlight Type	LED					
Resolution	1024*768	1280*1024	1920*1080	1280*1024	1920*1080	1920*1080
Contrast Ratio	700 :1	1000 :1	400 :1	1000 :1	3000 :1	1000 :1
Brightness (cd/m2)	450	250	300	350	250	250
View Angles (H/V)	160/140	170/178	140/120	170/160	178/178	178/178
Pixel (mm)	0.297x0.297	0.264x0.264	0.1989x0.1989	0.294x0.294	0.24825x0.24825	0.2745x0.2745
Max Color	16.7M	16.7M	262K	16.7M	16.7M	16.7M
MTBF	50,000	50,000	10,000	50,000	50,000	50,000
DVI-D	DVI-D 24Pin Connector (Female)					
VGA	D-SUB 15Pin Connector (Female)					
HDMI	OPTION					
Audio	3.5" Jack					
Power Input	Standard IEC Inlet					
Touch USB (option)	USB A type connector					
Touch RS232 (option)	D-SUB 9P connector (Female)					
Power Input	Standard IEC Type Power Cord with Internal Power adapter, 100-240V AC Input 9-36VDC optional					
Height	7U	8U	6U	8U	8U	8U
Ingress protection	N/A					
Mounting	VESA Mount and Rack Mount					
Construction	Metal Housing					
Operating Temperature	0 – 50°C					
Operating Humidity	5% - 95% (non condensing)					
Anti-Vibration	5 - 500 Hz / 1 Grms PTP					
Anti-Shock	15G / Peak (11 ms)					
Physical Dimension (LxHxP)	480 x 311 x 60 (mm)	482 x 355 x 62 (mm)	482 x 266 x 63 (mm)	483 x 355 x 60 (mm)	501 x 350 x 60 (mm)	600 x 355 (8U) x 60 (mm)
Net Weight / Gross Weight	7.5 / 10 (KGs)	9.5 / 12 (KGs)	7 / 9 (KGs)	8 / 9.5 (KGs)	9.5 / 12 (KGs)	11 / 13.5 (KGs)
Certification and Approvals	CE / FCC / RoHs					




15" RACK7U-15




17" RACK8U-17




17,3" RACK6U-17W



19" RACK8U-19



21,5" RACK8U-21



23,8" RACK8U-24

